

	Application No.	Applicant(s)	
Notice of Allowability	10/605,640	MORROW ET AL.	
	Examiner	Art Unit	
	Mike Chambers	3711	
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due co	ourse. THIS
1. This communication is responsive to <u>1/31/05 paper</u> .			
2. ☑ The allowed claim(s) is/are <u>1-19 and 21-23</u> .			
3. The drawings filed on 15 October 2003 are accepted by the	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in time.	e been received. been received in Application No cuments have been received in this is of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER' es reason(s) why the oath or declarate of the submitted. Son's Patent Drawing Review (PTO- s Amendment / Comment or in the Co standard coording to 37 CFR 1.121(c) sit of BIOLOGICAL MATERIAL in	national stage application of the body. The submitted of	irements TICE OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statements 9. Other GR	(PTO-413), te nent/Comment	ance

Art Unit: 3711

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with V. Ilagan on April 14, 2005.

The application has been amended as follows:

In Claim 1, line 7: The term "a pair of opposing flaps" has been replaced with a pair of separate and distinct opposing flaps —

In Claim 1, line 12: The term "spaced apart from one another; " has been replaced with— spaced apart from one another, and said netting is attached directly to said scoop; -

In Claim 9, line 7: The term "a pair of opposing flaps" has been replaced with a pair of separate and distinct opposing flaps —

In Claim 9, line 11: The term "a netting coupled to said pair of opposing flaps; " has been replaced with— a netting coupled to said pair of opposing flaps, and said netting attached directly to said scoop; —

Application/Control Number: 10/605,640

Art Unit: 3711

In Claim 16, line 7: The term "a pair of opposing deflecting members" has been replaced

with—

a pair of separate and distinct opposing deflecting members —

In Claim 16, lines 13-14: The term "positioned therebetween; " has been replaced with— positioned therebetween, and said netting attached directly to said scoop; —

In Claim 22, line 7: The term "a pair of opposing sidewall deflecting members" has been replaced with—

a pair of separate and distinct opposing sidewall deflecting members —

Reasons for Allowance

The prior art does not show or suggest a lacrosse stick head wherein each of the sidewalls of the head structure has a separate and distinct flap having an upper and lower portion which is coupled to said sidewall and extending inwardly towards a centerline wherein said flap is utilized for channeling a lacrosse ball into a decreased pocket sized area in addition to the other elements of the structure claimed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Chambers whose telephone number is (571) 272-4407. The examiner can normally be reached on Mon-Fri 8:30-5:00.

Art Unit: 3711

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Vidovich can be reached on (571) 272-4415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Chambers Examiner Art Unit 3711

April 14, 2005

GREGORY VIDOVICH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700